

TJ EVOLETTE A
IS UNIQUE,
CUSTOMIZABLE,
EXPERIMENTAL,
FASHIONABLE
AND CLEAN.

7 EXPERIMENTAL, GROTESQUE & ALTERNATING
BY TIMO TITZMANN & JAKOB RUNGE

⇒ [TYPEMATES.COM](https://www.typemates.com)

IR → IR → IR


DEFAULT

SET 1

SET 2

4

→ THE CREATIVE ACT
IS A **PROCESS**, NOT ♦
→ A MOMENT



TJ EVOLETTE A

ABOUT

TJ Evolette A is unique, customizable, experimental, fashionable and clean. This geometric, grotesque and all-caps display family has seven weights, one basic glyph set, two integrated and extravagant stylistic sets for the whole alphabet and some astonishing special characters.

Between the basic glyph set and the two stylistic sets, the typeface offers innumerable combination possibilities. In its two sets of alternate characters interpretations of Art Deco mingle with the straight lines of ancient runes. This variety encourages striking editorial and poster design.

TJ Evolette A was designed in 2011 by Timo Titzmann and Jakob Runge. In 2014 they revisited the typeface with new characters, broader language support, runic figures, improved kerning, better weight gradation and heavier weights.

The common character sets of Central, Eastern and Western Europe are supported across all weights, with alternate glyphs accessible through OpenType layout features.

If you'd like to use this multifarious typeface without OpenType support (perhaps for web usage) we recommend 'TJ Evolette A Mix'. A version with a no-hassle, predefined mix of all of the glyphs.

DESIGN

Timo Titzmann and Jakob Runge in 2011 and 2013

FORMATS

OTF and TTF for Desktop and Apps, plus WOFF, WOFF2 and EOT for Web

STYLES

HAIRLINE
THIN
EXTRALIGHT
LIGHT
NORMAL
BOLD
BLACK

LANGUAGE SUPPORT ADOBE LATIN 3 STANDARD

more than 90 languages: Afar, Afrikaans, Albanian, Basque, Belarusian, Bislama, Bosnian, Breton, Catalan, Chamorro, Chichewa, Comorian, Croatian, Czech, Danish, Dutch, Esperanto, Estonian, Faroese, Fijian, Filipino/Tagalog, Finnish, Flemish, French, Gaelic, Gagauz, German, Gikuyu, Gilbertese/Kiribati, Haitian-Creole, Hawaiian, Hungarian, Icelandic, Indonesian, Irish, Italian, Javanese, Kashubian, Kinyarwanda, Kirundi, Latin, Latvian, Lithuanian, Luba/Ciluba/Kasai, Luxembourgish, Malagasy, Malay, Maltese, Maori, Marquesan, Moldovan/Romanian, Montenegrin, Nauruan, Ndebele, Norwegian, Oromo, Palauan/Belauan, Polish, Portuguese, Quechua, Romanian, Romansh, Sami, Samoan, Sango, Serbian, Sesotho, Setswana, Seychellois-Creole, Swazi, Silesian, Slovak, Slovenian, Somali, Sorbian, Sotho, Spanish, Swahili, Swedish, Tahitian, Tetum, Tok-Pisin, Tongan, Tsonga, Tswana, Turkish, Turkmen, Tuvaluan, Uzbek, Wallisian, Walloon, Welsh, Xhosa, Zulu

MORE

FREE DEMOFONTS WWW.TYPEMATES.COM/FONTS/TJ-EVOLETTE-A#TRY

1784 AND BEYOND

UNIQUE

EXPERIMENTAL

⚡ ⚡ ⚡ ◆ ⚡ ⚡ ⚡

FASHIONABLE & CLEAN

2014 REVISITED

WE'LL PREPARED

⇒ TIMO TITZMANN ◆ JAKOB. RUNGE ⇐

GRADUATION

TJ EVOLETTE A HAIRLINE

UNIQUENESS

TJ EVOLETTE A THIN

UNIQUENESS

TJ EVOLETTE A EXTRALIGHT

UNIQUENESS

TJ EVOLETTE A LIGHT

UNIQUENESS

TJ EVOLETTE A NORMAL

UNIQUENESS

TJ EVOLETTE A BOLD

UNIQUENESS

TJ EVOLETTE A BLACK

UNIQUENESS

EVOLUTION IS THE PROCESS OF CHANGING FORMS OF LIFE OVER GENERATIONS. EVOLUTIONARY BIOLOGY IS THE STUDY OF HOW EVOLUTION OCCURS. THE BIODIVERSITY OF LIFE EVOLVES BY MEANS OF MUTATIONS, GENETIC DRIFT, AND NATURAL SELECTION. THE PROCESS OF NATURAL SELECTION IS BASED ON THREE CONDITIONS. FIRST, EVERY INDIVIDUAL IS SUPPLIED WITH HEREDITARY MATERIAL IN THE FORM OF GENES THAT ARE RECEIVED

ALGORITHMS CAN PERFORM CALCULATIONS, DATA PROCESSING AND AUTOMATED REASONING TASKS. AS AN EFFECTIVE METHOD, AN ALGORITHM CAN BE EXPRESSED WITHIN A FINITE AMOUNT OF SPACE AND TIME AND IN A WELL-DEFINED FORMAL LANGUAGE FOR CALCULATING A FUNCTION. STARTING FROM AN INITIAL STATE AND INITIAL INPUT (PERHAPS EMPTY), THE INSTRUCTIONS DESCRIBE A COMPUTATION THAT, WHEN EXECUTED, PROCEEDS THROUGH A FINITE NUMBER OF WELL-DEFINED SUCCESSIVE STATES, EVENTUALLY PRODUCING "OUTPUT" AND TERMINATING AT A FINAL ENDING STATE. THE TRANSITION FROM ONE STATE TO THE NEXT IS NOT NECESSARILY DETERMINISTIC; SOME ALGORITHMS, KNOWN AS RANDOMIZED ALGORITHMS, INCORPORATE RANDOM INPUT. THE CONCEPT OF ALGORITHM HAS EXISTED FOR CENTURIES AND THE CONCEPT CAN BE ASCRIBED TO GREEK MATHEMATICIANS, E.G. THE SIEVE OF ERATOSTHENES.

EVOLUTION IS THE PROCESS OF CHANGING FORMS OF LIFE OVER GENERATIONS. EVOLUTIONARY BIOLOGY IS THE STUDY OF HOW EVOLUTION OCCURS. THE BIODIVERSITY OF LIFE EVOLVES BY MEANS OF MUTATIONS, GENETIC DRIFT, AND NATURAL SELECTION. THE PROCESS OF NATURAL SELECTION IS BASED ON THREE CONDITIONS. FIRST, EVERY INDIVIDUAL IS SUPPLIED WITH HEREDITARY MATERIAL IN THE FORM OF GENES THAT ARE RECEIVED

ALGORITHMS CAN PERFORM CALCULATIONS, DATA PROCESSING AND AUTOMATED REASONING TASKS. AS AN EFFECTIVE METHOD, AN ALGORITHM CAN BE EXPRESSED WITHIN A FINITE AMOUNT OF SPACE AND TIME AND IN A WELL-DEFINED FORMAL LANGUAGE FOR CALCULATING A FUNCTION. STARTING FROM AN INITIAL STATE AND INITIAL INPUT (PERHAPS EMPTY), THE INSTRUCTIONS DESCRIBE A COMPUTATION THAT, WHEN EXECUTED, PROCEEDS THROUGH A FINITE NUMBER OF WELL-DEFINED SUCCESSIVE STATES, EVENTUALLY PRODUCING "OUTPUT" AND TERMINATING AT A FINAL ENDING STATE. THE TRANSITION FROM ONE STATE TO THE NEXT IS NOT NECESSARILY DETERMINISTIC; SOME ALGORITHMS, KNOWN AS RANDOMIZED ALGORITHMS, INCORPORATE RANDOM INPUT. THE CONCEPT OF ALGORITHM HAS EXISTED FOR CENTURIES AND THE CONCEPT CAN BE ASCRIBED TO GREEK MATHEMATICIANS, E.G. THE SIEVE OF ERATOSTHENES.

EVOLUTION IS THE PROCESS OF CHANGING FORMS OF LIFE OVER GENERATIONS. EVOLUTIONARY BIOLOGY IS THE STUDY OF HOW EVOLUTION OCCURS. THE BIODIVERSITY OF LIFE EVOLVES BY MEANS OF MUTATIONS, GENETIC DRIFT, AND NATURAL SELECTION. THE PROCESS OF NATURAL SELECTION IS BASED ON THREE CONDITIONS. FIRST, EVERY INDIVIDUAL IS SUPPLIED WITH HEREDITARY MATERIAL IN THE FORM OF GENES THAT ARE RECEIVED

ALGORITHMS CAN PERFORM CALCULATIONS, DATA PROCESSING AND AUTOMATED REASONING TASKS. AS AN EFFECTIVE METHOD, AN ALGORITHM CAN BE EXPRESSED WITHIN A FINITE AMOUNT OF SPACE AND TIME AND IN A WELL-DEFINED FORMAL LANGUAGE FOR CALCULATING A FUNCTION. STARTING FROM AN INITIAL STATE AND INITIAL INPUT (PERHAPS EMPTY), THE INSTRUCTIONS DESCRIBE A COMPUTATION THAT, WHEN EXECUTED, PROCEEDS THROUGH A FINITE NUMBER OF WELL-DEFINED SUCCESSIVE STATES, EVENTUALLY PRODUCING "OUTPUT" AND TERMINATING AT A FINAL ENDING STATE. THE TRANSITION FROM ONE STATE TO THE NEXT IS NOT NECESSARILY DETERMINISTIC; SOME ALGORITHMS, KNOWN AS RANDOMIZED ALGORITHMS, INCORPORATE RANDOM INPUT. THE CONCEPT OF ALGORITHM HAS EXISTED FOR CENTURIES AND THE CONCEPT CAN BE ASCRIBED TO GREEK MATHEMATICIANS, E.G. THE SIEVE OF ERATOSTHENES.

EVOLUTION IS THE PROCESS OF CHANGING FORMS OF LIFE OVER GENERATIONS. EVOLUTIONARY BIOLOGY IS THE STUDY OF HOW EVOLUTION OCCURS. THE BIODIVERSITY OF LIFE EVOLVES BY MEANS OF MUTATIONS, GENETIC DRIFT AND NATURAL SELECTION. THE PROCESS OF NATURAL SELECTION IS BASED ON THREE CONDITIONS. FIRST, EVERY INDIVIDUAL IS SUPPLIED WITH HEREDITARY MATERIAL IN THE FORM OF GENES THAT ARE RECEIVED

ALGORITHMS CAN PERFORM CALCULATED DATA PROCESSING AND AUTOMATIC REASONING TASKS. AS AN EFFECT OF AN ALGORITHM CAN BE EXPRESSED WITHIN A FINITE AMOUNT OF SPACE AND TIME AND IN A WELL-DEFINED FORMAL LANGUAGE FOR CALCULATING A FUNCTION. STARTING FROM AN INITIAL STATE AND INITIAL INPUT (PERHAPS EMPTY), THE INSTRUCTIONS DESCRIBE A COMPUTATION THAT, WHEN EXECUTED, PROCEEDS THROUGH A FINITE NUMBER OF WELL-DEFINED SUCCESSIVE STATES, EVENTUALLY PRODUCING "OUTPUT" AND TERMINATING AT A FINAL ENDING STATE. THE TRANSITION FROM ONE STATE TO THE NEXT IS NOT NECESSARILY DETERMINED BY SOME ALGORITHMS, KNOWN AS RAMBO ALGORITHMS, INCORPORATE RANDOM INPUT. THE CONCEPT OF ALGORITHMS HAS EXISTED FOR CENTURIES AND OF THE CONCEPT CAN BE ASCRIBED TO GREEK MATHEMATICIANS, E.G. THE PHILOSOPHERS ERATOSTHEMES AND EUCLID'S ALG

EVOLUTION IS THE PROCESS OF CHANGING FORMS OF LIFE OVER GENERATIONS. EVOLUTIONARY BIOLOGY IS THE STUDY OF HOW EVOLUTION OCCURS. THE BIODIVERSITY OF LIFE EVOLVES BY MEANS OF MUTATIONS, GENETIC DRIFT AND NATURAL SELECTION. THE PROCESS OF NATURAL SELECTION IS BASED ON THREE CONDITIONS. FIRST, EVERY INDIVIDUAL IS SUPPLIED WITH HEREDITARY MATERIAL IN THE FORM OF GENES THAT ARE RECEIVED

ALGORITHMS CAN PERFORM CALCULATED DATA PROCESSING AND AUTOMATIC REASONING TASKS. AS AN EFFECT OF AN ALGORITHM CAN BE EXPRESSED WITHIN A FINITE AMOUNT OF SPACE AND TIME AND IN A WELL-DEFINED FORMAL LANGUAGE FOR CALCULATING A FUNCTION. STARTING FROM AN INITIAL STATE AND INITIAL INPUT (PERHAPS EMPTY), THE INSTRUCTIONS DESCRIBE A COMPUTATION THAT, WHEN EXECUTED, PROCEEDS THROUGH A FINITE NUMBER OF WELL-DEFINED SUCCESSIVE STATES, EVENTUALLY PRODUCING "OUTPUT" AND TERMINATING AT A FINAL ENDING STATE. THE TRANSITION FROM ONE STATE TO THE NEXT IS NOT NECESSARILY DETERMINED BY SOME ALGORITHMS, KNOWN AS RAMBO ALGORITHMS, INCORPORATE RANDOM INPUT. THE CONCEPT OF ALGORITHMS HAS EXISTED FOR CENTURIES AND OF THE CONCEPT CAN BE ASCRIBED TO GREEK MATHEMATICIANS, E.G. THE PHILOSOPHERS ERATOSTHEMES AND EUCLID'S ALG

EVOLUTION IS THE PROCESS OF CHANGING FORMS OF LIFE OVER GENERATIONS. EVOLUTIONARY BIOLOGY IS THE STUDY OF HOW EVOLUTION OCCURS. THE BIODIVERSITY OF LIFE EVOLVES BY MEANS OF MUTATIONS, GENETIC DRIFT AND NATURAL SELECTION. THE PROCESS OF NATURAL SELECTION IS BASED ON THREE CONDITIONS. FIRST, EVERY INDIVIDUAL IS SUPPLIED WITH HEREDITARY MATERIAL IN THE FORM OF GENES THAT ARE RECEIVED

ALGORITHMS CAN PERFORM CALCULATED DATA PROCESSING AND AUTOMATIC REASONING TASKS. AS AN EFFECT OF AN ALGORITHM CAN BE EXPRESSED WITHIN A FINITE AMOUNT OF SPACE AND TIME AND IN A WELL-DEFINED FORMAL LANGUAGE FOR CALCULATING A FUNCTION. STARTING FROM AN INITIAL STATE AND INITIAL INPUT (PERHAPS EMPTY), THE INSTRUCTIONS DESCRIBE A COMPUTATION THAT, WHEN EXECUTED, PROCEEDS THROUGH A FINITE NUMBER OF WELL-DEFINED SUCCESSIVE STATES, EVENTUALLY PRODUCING "OUTPUT" AND TERMINATING AT A FINAL ENDING STATE. THE TRANSITION FROM ONE STATE TO THE NEXT IS NOT NECESSARILY DETERMINED BY SOME ALGORITHMS, KNOWN AS RAMBO ALGORITHMS, INCORPORATE RANDOM INPUT. THE CONCEPT OF ALGORITHMS HAS EXISTED FOR CENTURIES AND OF THE CONCEPT CAN BE ASCRIBED TO GREEK MATHEMATICIANS, E.G. THE PHILOSOPHERS ERATOSTHEMES AND EUCLID'S ALG

EVOLUTION IS THE PROCESS OF CHANGE IN FORMS OF LIFE OVER GENERATIONS. EVOLUTIONARY BIOLOGY IS THE STUDY OF HOW EVOLUTION OCCURS. THE BIODIVERSITY OF LIFE EVOLVES BY MEANS OF MUTATIONS, GENETIC DRIFT AND NATURAL SELECTION. THE PROCESS OF NATURAL SELECTION IS BASED ON THREE CONDITIONS. FIRST, EVERY INDIVIDUAL IS SUPPLIED WITH HEREDITARY MATERIAL IN THE FORM OF GENES THAT ARE RECEIVED FROM THEIR

ALGORITHMS CAN PERFORM CALCULATED DATA PROCESSING AND AUTOMATED REASONING TASKS. AS AN EFFECTIVE METHOD, AN ALGORITHM CAN BE EXPRESSED WITHIN A FINITE AMOUNT OF SPACE AND TIME AND IS A WELL-DEFINED FORMAL PROCEDURE FOR CALCULATING A FUNCTION. STARTING FROM AN INITIAL STATE AND INPUT (PERHAPS EMPTY), THE INSTRUCTIONS DESCRIBE A COMPUTATION THAT, WHEN EXECUTED, PROCEEDS THROUGH A SEQUENCE OF WELL-DEFINED SUCCESSIVE STATES, EVENTUALLY PRODUCING "OUTPUT" AND TERMINATING AT A FINAL END STATE. THE TRANSITION FROM ONE STATE TO THE NEXT IS NOT NECESSARILY DETERMINED BY THE PREVIOUS STATE; SOME ALGORITHMS, KNOWN AS RANDOMIZED ALGORITHMS, INCORPORATE RANDOM INPUT. THE CONCEPT OF ALGORITHM HAS EXISTED FOR CENTURIES AND THE USE OF THE TERM CAN BE ATTRIBUTED TO GREEK MATHEMATICIANS, E.G. THE SIEVE OF ERATOSTHENES AND EUCLID'S ALGORITHM; THE TERM AL

EVOLUTION IS THE PROCESS OF CHANGE IN FORMS OF LIFE OVER GENERATIONS. EVOLUTIONARY BIOLOGY IS THE STUDY OF HOW EVOLUTION OCCURS. THE BIODIVERSITY OF LIFE EVOLVES BY MEANS OF MUTATIONS, GENETIC DRIFT AND NATURAL SELECTION. THE PROCESS OF NATURAL SELECTION IS BASED ON THREE CONDITIONS. FIRST, EVERY INDIVIDUAL IS SUPPLIED WITH HEREDITARY MATERIAL IN THE FORM OF GENES THAT ARE RECEIVED FROM THEIR

ALGORITHMS CAN PERFORM CALCULATED DATA PROCESSING AND AUTOMATED REASONING TASKS. AS AN EFFECTIVE METHOD, AN ALGORITHM CAN BE EXPRESSED WITHIN A FINITE AMOUNT OF SPACE AND TIME AND IS A WELL-DEFINED FORMAL PROCEDURE FOR CALCULATING A FUNCTION. STARTING FROM AN INITIAL STATE AND INPUT (PERHAPS EMPTY), THE INSTRUCTIONS DESCRIBE A COMPUTATION THAT, WHEN EXECUTED, PROCEEDS THROUGH A SEQUENCE OF WELL-DEFINED SUCCESSIVE STATES, EVENTUALLY PRODUCING "OUTPUT" AND TERMINATING AT A FINAL END STATE. THE TRANSITION FROM ONE STATE TO THE NEXT IS NOT NECESSARILY DETERMINED BY THE PREVIOUS STATE; SOME ALGORITHMS, KNOWN AS RANDOMIZED ALGORITHMS, INCORPORATE RANDOM INPUT. THE CONCEPT OF ALGORITHM HAS EXISTED FOR CENTURIES AND THE USE OF THE TERM CAN BE ATTRIBUTED TO GREEK MATHEMATICIANS, E.G. THE SIEVE OF ERATOSTHENES AND EUCLID'S ALG

EVOLUTION IS THE PROCESS OF CHANGE IN FORMS OF LIFE OVER GENERATIONS. EVOLUTIONARY BIOLOGY IS THE STUDY OF HOW EVOLUTION OCCURS. THE BIODIVERSITY OF LIFE EVOLVES BY MEANS OF MUTATIONS, GENETIC DRIFT AND NATURAL SELECTION. THE PROCESS OF NATURAL SELECTION IS BASED ON THREE CONDITIONS. FIRST, EVERY INDIVIDUAL IS SUPPLIED WITH HEREDITARY MATERIAL IN THE FORM OF GENES THAT

ALGORITHMS CAN PERFORM CALCULATED DATA PROCESSING AND AUTOMATED REASONING TASKS. AS AN EFFECTIVE METHOD, AN ALGORITHM CAN BE EXPRESSED WITHIN A FINITE AMOUNT OF SPACE AND TIME AND IS A WELL-DEFINED FORMAL PROCEDURE FOR CALCULATING A FUNCTION. STARTING FROM AN INITIAL STATE AND INPUT (PERHAPS EMPTY), THE INSTRUCTIONS DESCRIBE A COMPUTATION THAT, WHEN EXECUTED, PROCEEDS THROUGH A SEQUENCE OF WELL-DEFINED SUCCESSIVE STATES, EVENTUALLY PRODUCING "OUTPUT" AND TERMINATING AT A FINAL END STATE. THE TRANSITION FROM ONE STATE TO THE NEXT IS NOT NECESSARILY DETERMINED BY THE PREVIOUS STATE; SOME ALGORITHMS, KNOWN AS RANDOMIZED ALGORITHMS, INCORPORATE RANDOM INPUT. THE CONCEPT OF ALGORITHM HAS EXISTED FOR CENTURIES AND THE USE OF THE TERM CAN BE ATTRIBUTED TO GREEK MATHEMATICIANS, E.G. THE SIEVE OF ERATOSTHENES AND EUCLID'S ALG

EVOLUTION IS THE PROCESS OF CHANGING FORMS OF LIFE OVER GENERATIONS. EVOLUTIONARY BIOLOGY IS THE STUDY OF HOW EVOLUTION OCCURS. THE BIODIVERSITY OF LIFE EVOLVES BY MEANS OF MUTATIONS, GENETIC DRIFT AND NATURAL SELECTION. THE PROCESS OF NATURAL SELECTION IS BASED ON THREE CONDITIONS. FIRST, EVERY INDIVIDUAL IS SUPPLIED WITH HEREDITARY MATERIAL IN THE FORM OF GENES THAT

ALGORITHMS CAN PERFORM CALCULATIONS, DATA PROCESSING AND AUTOMATED REASONING TASKS. AS AN EFFECTIVE METHOD, AN ALGORITHM CAN BE EXPRESSED WITHIN A FINITE ADDRESS SPACE AND TIME AND IN A WELL-DEFINED FORMAL LANGUAGE FOR CALCULATING A FUNCTION. STARTING FROM AN INITIAL STATE AND INITIAL INPUT (PERHAPS EMPTY), THE INSTRUCTIONS DESCRIBE A COMPUTATION THAT, WHEN EXECUTED, PROCEEDS THROUGH A FINITE NUMBER OF WELL-DEFINED SUCCESSIVE STATES, EVENTUALLY PRODUCING "OUTPUT" AND TERMINATING AT A FINAL ENDING STATE. TRANSITION FROM ONE STATE TO ANOTHER IS NOT NECESSARILY DETERMINISTIC. ALGORITHMS, KNOWN AS RANDOM ALGORITHMS, INCORPORATE RANDOM INPUT. THE CONCEPT OF ALGORITHMS EXISTED FOR CENTURIES AND THE CONCEPT CAN BE ASCRIBED TO MATHEMATICIANS, E.G. THE SIEVE

EVOLUTION IS THE PROCESS OF CHANGING FORMS OF LIFE OVER GENERATIONS. EVOLUTIONARY BIOLOGY IS THE STUDY OF HOW EVOLUTION OCCURS. THE BIODIVERSITY OF LIFE EVOLVES BY MEANS OF MUTATIONS, GENETIC DRIFT AND NATURAL SELECTION. THE PROCESS OF NATURAL SELECTION IS BASED ON THREE CONDITIONS. FIRST, EVERY INDIVIDUAL IS SUPPLIED WITH HEREDITARY MATERIAL IN THE FORM OF GENES THAT ARE RECEIVED

ALGORITHMS CAN PERFORM CALCULATIONS, DATA PROCESSING AND AUTOMATED REASONING TASKS. AS AN EFFECTIVE METHOD, AN ALGORITHM CAN BE EXPRESSED WITHIN A FINITE ADDRESS SPACE AND TIME AND IN A WELL-DEFINED FORMAL LANGUAGE FOR CALCULATING A FUNCTION. STARTING FROM AN INITIAL STATE AND INITIAL INPUT (PERHAPS EMPTY), THE INSTRUCTIONS DESCRIBE A COMPUTATION THAT, WHEN EXECUTED, PROCEEDS THROUGH A FINITE NUMBER OF WELL-DEFINED SUCCESSIVE STATES, EVENTUALLY PRODUCING "OUTPUT" AND TERMINATING AT A FINAL ENDING STATE. TRANSITION FROM ONE STATE TO ANOTHER IS NOT NECESSARILY DETERMINISTIC. ALGORITHMS, KNOWN AS RANDOM ALGORITHMS, INCORPORATE RANDOM INPUT. THE CONCEPT OF ALGORITHMS EXISTED FOR CENTURIES AND THE CONCEPT CAN BE ASCRIBED TO MATHEMATICIANS, E.G. THE SIEVE

EVOLUTION IS THE PROCESS OF CHANGING FORMS OF LIFE OVER GENERATIONS. EVOLUTIONARY BIOLOGY IS THE STUDY OF HOW EVOLUTION OCCURS. THE BIODIVERSITY OF LIFE EVOLVES BY MEANS OF MUTATIONS, GENETIC DRIFT AND NATURAL SELECTION. THE PROCESS OF NATURAL SELECTION IS BASED ON THREE CONDITIONS. FIRST, EVERY INDIVIDUAL IS SUPPLIED WITH HEREDITARY MATERIAL IN THE FORM OF GENES THAT

ALGORITHMS CAN PERFORM CALCULATIONS, DATA PROCESSING AND AUTOMATED REASONING TASKS. AS AN EFFECTIVE METHOD, AN ALGORITHM CAN BE EXPRESSED WITHIN A FINITE ADDRESS SPACE AND TIME AND IN A WELL-DEFINED FORMAL LANGUAGE FOR CALCULATING A FUNCTION. STARTING FROM AN INITIAL STATE AND INITIAL INPUT (PERHAPS EMPTY), THE INSTRUCTIONS DESCRIBE A COMPUTATION THAT, WHEN EXECUTED, PROCEEDS THROUGH A FINITE NUMBER OF WELL-DEFINED SUCCESSIVE STATES, EVENTUALLY PRODUCING "OUTPUT" AND TERMINATING AT A FINAL ENDING STATE. TRANSITION FROM ONE STATE TO ANOTHER IS NOT NECESSARILY DETERMINISTIC. ALGORITHMS, KNOWN AS RANDOM ALGORITHMS, INCORPORATE RANDOM INPUT. THE CONCEPT OF ALGORITHMS EXISTED FOR CENTURIES AND THE CONCEPT CAN BE ASCRIBED TO MATHEMATICIANS, E.G. THE SIEVE

OFF

ON

CONTEXTUAL ALTERNATES

—> 2X2

→ 2×2

STYLISTIC SET 01

UNIQUE

UNIQUE

STYLISTIC SET 02

RARE 847

RARE 847

STYLISTIC SET 03
LIKE "TJ EVOLETTE A MIX"

PRE DEFINED

PRE DEFINED

DENOMINATORS, NUMERATORS

12345/67890

12345/67890

SCIENTIFIC INFERIORS,
SUBSCRIPTX₇₆ + Y₂₇ H₂OX⁷⁶ + Y²⁷ H₂O

ORDINALS

1A 1O

1A 1O

TRY BEFORE
YOU BUY!
ALL* WEIGHTS
AND STYLES
FOR FREE.

* REDUCED CHARACTER SET AND
NO OPENTYPE FEATURES.

WWW.TYPEMATES.COM/FONTS/TJ-EVOLETTE-A#TRY

↳ TYPEMATES.COM